

|    | Type | Hits | Search Text   | DBs             | Time Stamp       |
|----|------|------|---|-----------------|------------------|
| 1  | BRS  | 1    | 709/\$.ccls. and packet and store and forward and client and server and ((messaging MSG) near file) and (information data) and (controller handler manager agent)   | USPAT; EPO; JPO | 2004/03/03 16:08 |
| 2  | BRS  | 4    | packet and store and forward and client and server and ((messaging MSG) near file) and (information data) and (controller handler manager agent)  | USPAT; EPO; JPO | 2004/03/03 11:26 |
| 3  | BRS  | 4    | packet and store and forward and server and ((messaging MSG) near file) and (information data) and (controller handler manager agent)   | USPAT; EPO; JPO | 2004/03/03 11:27 |
| 4  | BRS  | 38   | ((messaging MSG) near file) and (information data) and (controller handler manager agent)   | USPAT; EPO; JPO | 2004/03/03 11:30 |
| 5  | BRS  | 6166 | 709/\$.ccls. and packet   | USPAT; EPO; JPO | 2004/03/03 11:30 |
| 6  | BRS  | 5831 | (709/\$.ccls. and packet) and stor\$3   | USPAT; EPO; JPO | 2004/03/03 11:31 |
| 7  | BRS  | 3158 | ((709/\$.ccls. and packet) and stor\$3) and forward\$3  | USPAT; EPO; JPO | 2004/03/03 11:31 |
| 8  | BRS  | 1634 | ((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server   | USPAT; EPO; JPO | 2004/03/03 11:31 |
| 9  | BRS  | 1590 | (((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server) and application   | USPAT; EPO; JPO | 2004/03/03 11:32 |
| 10 | BRS  | 1006 | ((((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server) and application) and event   | USPAT; EPO; JPO | 2004/03/03 11:32 |
| 11 | BRS  | 961  | ((((((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server) and application) and event) and (generat\$3 provid\$3 suppl\$4 issu\$3 creat\$3) and respon\$4   | USPAT; EPO; JPO | 2004/03/03 11:34 |
| 12 | BRS  | 320  | (((((((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server) and application) and event) and (generat\$3 provid\$3 suppl\$4 issu\$3 creat\$3) and respon\$4) and (dispatch\$3 communicat\$3) and (ACK acknowledge\$4)  | USPAT; EPO; JPO | 2004/03/03 11:37 |
| 13 | BRS  | 29   | ((((((((((709/\$.ccls. and packet) and stor\$3) and forward\$3) and client and server) and application) and event) and (generat\$3 provid\$3 suppl\$4 issu\$3 creat\$3) and respon\$4) and (dispatch\$3 communicat\$3) and (ACK acknowledge\$4)) and (target with (ID identifier identity)) | USPAT; EPO; JPO | 2004/03/03 12:03 |
| 14 | BRS  | 2046 | 709/203.ccls.   | USPAT; EPO; JPO | 2004/03/03 12:03 |
| 15 | BRS  | 360  | 709/203.ccls. and packet and stor\$3 and forward\$3 and local\$2  | USPAT; EPO; JPO | 2004/03/03 12:04 |

|    | Type | Hits    | Search Text  | DBs             | Time Stamp       |
|----|------|---------|--|-----------------|------------------|
| 16 | BRS  | 90      | (709/203.ccls. and packet and stor\$3 and forward\$3 and local\$2) and ((messag\$3 msg) with file)   | USPAT; EPO; JPO | 2004/03/03 12:08 |
| 17 | BRS  | 199     | (709/203.ccls. and packet and stor\$3 and forward\$3 and local\$2) and ((messag\$3 msg) with (file application))   | USPAT; EPO; JPO | 2004/03/03 12:07 |
| 18 | BRS  | 169     | ((709/203.ccls. and packet and stor\$3 and forward\$3 and local\$2) and ((messag\$3 msg) with (file application))) and server and client   | USPAT; EPO; JPO | 2004/03/03 12:08 |
| 19 | BRS  | 1       | lightweight near queue\$3  | USPAT; EPO; JPO | 2004/03/03 16:10 |
| 20 | BRS  | 5       | lightweight with queue\$3  | USPAT; EPO; JPO | 2004/03/03 16:12 |
| 21 | BRS  | 21      | lightweight same queue\$3  | USPAT; EPO; JPO | 2004/03/03 16:17 |
| 22 | BRS  | 7639572 | ldap nos   | USPAT; EPO; JPO | 2004/03/03 16:19 |
| 23 | BRS  | 2411    | (ldap nos) and (packet near (generat\$3 creat\$3 provid\$3)) and forward\$3 and stor\$3  | USPAT; EPO; JPO | 2004/03/03 16:24 |
| 24 | BRS  | 1132    | ((ldap nos) and (packet near (generat\$3 creat\$3 provid\$3)) and forward\$3 and stor\$3) and (client user subscriber) and (server gateway hub) and application                              | USPAT; EPO; JPO | 2004/03/03 16:29 |
| 25 | BRS  | 1876    | ((ldap nos) and (packet near (generat\$3 creat\$3 provid\$3)) and forward\$3 and stor\$3) and (messag\$3 email file)   | USPAT; EPO; JPO | 2004/03/03 16:32 |
| 26 | BRS  | 1865    | ((ldap nos) and (packet near (generat\$3 creat\$3 provid\$3)) and forward\$3 and stor\$3) and (messag\$3 email file)) and information  | USPAT; EPO; JPO | 2004/03/03 16:34 |
| 27 | BRS  | 99      | ((((ldap nos) and (packet near (generat\$3 creat\$3 provid\$3)) and forward\$3 and stor\$3) and (messag\$3 email file)) and information) and lightweight                                     | USPAT; EPO; JPO | 2004/03/03 16:56 |
| 28 | IS&R | 1       | ("6678828").PN.  | USPAT; EPO; JPO | 2004/03/04 08:26 |
| 29 | IS&R | 1       | ("6442571").PN.  | USPAT; EPO; JPO | 2004/03/04 08:26 |
| 30 | IS&R | 1       | ("6496862").PN.  | USPAT; EPO; JPO | 2004/03/04 17:31 |
| 31 | BRS  | 119     | client near electronic   | USPAT; EPO; JPO | 2004/03/04 13:47 |
| 32 | BRS  | 59      | (client near electronic) and (\$3processor CPU)  | USPAT; EPO; JPO | 2004/03/04 13:48 |
| 33 | BRS  | 54      | ((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)  | USPAT; EPO; JPO | 2004/03/04 13:49 |
| 34 | BRS  | 51      | ((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)) and (server gateway hub router switch bridge) and (packet messag\$3 information)                              | USPAT; EPO; JPO | 2004/03/04 13:50 |
| 35 | BRS  | 48      | ((((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)) and (server gateway hub router switch bridge) and (packet messag\$3 information)) and (coupl\$3 connect\$3) | USPAT; EPO; JPO | 2004/03/04 13:51 |

|    | Type | Hits | Search Text   | DBs             | Time Stamp       |
|----|------|------|---|-----------------|------------------|
| 36 | BRS  | 47   | (((((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)) and (server gateway hub router switch bridge) and (packet messag\$3 information)) and (coupl\$3 connect\$3)) and stor\$3 and (forward\$3 sen\$4 transfer\$4)                                  | USPAT; EPO; JPO | 2004/03/04 13:53 |
| 37 | BRS  | 19   | (((((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)) and (server gateway hub router switch bridge) and (packet messag\$3 information)) and (coupl\$3 connect\$3)) and stor\$3 and (forward\$3 sen\$4 transfer\$4)) and predetermin\$3              | USPAT; EPO; JPO | 2004/03/04 14:01 |
| 38 | BRS  | 8    | ((((((client near electronic) and (\$3processor CPU)) and (memory \$1RAM storage)) and (server gateway hub router switch bridge) and (packet messag\$3 information)) and (coupl\$3 connect\$3)) and stor\$3 and (forward\$3 sen\$4 transfer\$4)) and predetermin\$3) and packet | USPAT; EPO; JPO | 2004/03/04 14:18 |
| 39 | BRS  | 111  | packet and (vari\$4 near length near data near field)   | USPAT; EPO; JPO | 2004/03/04 17:33 |
| 40 | BRS  | 9    | (packet and (vari\$4 near length near data near field)) and ((target destination) near (ID identifier))   | USPAT; EPO; JPO | 2004/03/04 18:17 |
| 41 | BRS  | 0    | ((packet and (vari\$4 near length near data near field)) and ((target destination) near (ID identifier))) and handler   | USPAT; EPO; JPO | 2004/03/04 17:42 |
| 42 | BRS  | 641  | messag\$3 adj handler   | USPAT; EPO; JPO | 2004/03/04 18:18 |
| 43 | BRS  | 0    | (packet and (vari\$4 near length near data near field)) and (messag\$3 adj handler)   | USPAT; EPO; JPO | 2004/03/04 18:18 |
| 44 | BRS  | 68   | (messag\$3 adj handler) and packet and client and server  | USPAT; EPO; JPO | 2004/03/04 19:40 |
| 45 | BRS  | 2    | ((messag\$3 adj handler) and packet and client and server) and lightweight  | USPAT; EPO; JPO | 2004/03/04 18:18 |
| 46 | BRS  | 3    | ((messag\$3 adj handler) and packet and client and server) and (plurality near handler)   | USPAT; EPO; JPO | 2004/03/04 19:39 |
| 47 | BRS  | 13   | (information near data) near (drop\$4 remov\$3) and messag\$3   | USPAT; EPO; JPO | 2004/03/04 20:08 |
| 48 | BRS  | 92   | (information data) near (drop\$4 remov\$3) and (messag\$3 near file)  | USPAT; EPO; JPO | 2004/03/04 20:10 |
| 49 | BRS  | 1    | (information with data) near (drop\$4 remov\$3) and (messag\$3 near file)   | USPAT; EPO; JPO | 2004/03/04 20:09 |
| 50 | BRS  | 1    | (information same data) near (drop\$4 remov\$3) and (messag\$3 near file)   | USPAT; EPO; JPO | 2004/03/04 20:10 |
| 51 | BRS  | 36   | (information data) near (drop\$4 remov\$3) and (messag\$3 near file) and packet and client and server   | USPAT; EPO; JPO | 2004/03/04 20:10 |

|    | Type | Hits  | Search Text  | DBs                          | Time Stamp       |
|----|------|-------|--|------------------------------|------------------|
| 52 | BRS  | 36    | ((information data) near (drop\$4<br>remov\$3) and (messag\$3 near file) and<br>packet and client and server) and<br>(response ack acknowledge)  | USPAT; EPO; JPO              | 2004/03/04 20:14 |
| 53 | IS&R | 1     | ("5764899").PN.  | USPAT; EPO; JPO              | 2004/03/05 09:13 |
| 54 | IS&R | 1     | ("6625693").PN.  | USPAT; EPO; JPO              | 2004/03/05 09:13 |
| 55 | BRS  | 19    | @ad<20001220 and (lightweight with<br>stor\$3 with forward\$3)   | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 11:57 |
| 56 | BRS  | 10522 | @ad<20001220 and lightweight and<br>stor\$3 and forward\$3   | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 11:57 |
| 57 | BRS  | 581   | ((@ad<20001220 and lightweight and<br>stor\$3 and forward\$3) and packet and<br>application  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 11:58 |
| 58 | BRS  | 227   | (((@ad<20001220 and lightweight and<br>stor\$3 and forward\$3) and packet and<br>application) and (client with (message<br>system)))   | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 11:59 |
| 59 | BRS  | 185   | (((((@ad<20001220 and lightweight and<br>stor\$3 and forward\$3) and packet and<br>application) and (client with (message<br>system)))) and (message with (file<br>application client server handler)))                                  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 12:01 |
| 60 | BRS  | 81    | (((((@ad<20001220 and lightweight and<br>stor\$3 and forward\$3) and packet and<br>application) and (client with (message<br>system)))) and (message with (file<br>application client server handler))) and<br>(local near4 application) | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 12:01 |
| 61 | BRS  | 6     | (((((@ad<20001220 and lightweight and<br>stor\$3 and forward\$3) and packet and<br>application) and (client with (message<br>system)))) and (message with (file<br>application client server handler))) and<br>(local near application)  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 13:25 |
| 62 | IS&R | 1     | ("5956483").PN.  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 13:28 |
| 63 | BRS  | 2     | "08/748,688"   | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 13:31 |
| 64 | BRS  | 1     | "20020110147"  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 14:13 |
| 65 | IS&R | 1     | ("6161123").PN.  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 17:40 |
| 66 | IS&R | 1     | ("6157941").PN.  | USPAT; US-PGPUB;<br>EPO; JPO | 2004/09/16 18:23 |